


# Rectangular Rapid-Flashing Beacon (RRFB)

SAFE TRANSPORTATION  
FOR EVERY PEDESTRIAN

COUNTERMEASURE TECH SHEET



RRFBs are pedestrian-actuated conspicuity enhancements used in combination with a pedestrian, school, or trail crossing warning sign to improve safety at uncontrolled, marked crosswalks. The device includes two rectangular-shaped yellow indications, each with an LED-array-based light source, that flash with high frequency when activated.

The RRFB is a treatment option at many types of established pedestrian crossings. Research indicates RRFBs can result in motorist yielding rates as high as 98 percent at marked crosswalks. However, yielding rates as low as 19 percent have also been noted. Compliance rates varied most per the city location, posted speed limit, crossing distance, and whether the road was one- or two-way. RRFBs are particularly effective at multilane crossings with speed limits less than 40 mph. Consider the Pedestrian Hybrid Beacon (PHB) instead for roadways with higher speeds. FHWA's *Guide for Improving Pedestrian Safety at Uncontrolled Crossing Locations* (HSA-17-072) provides specific conditions where practitioners should strongly consider the PHB instead of the RRFB.

Multiple lanes of traffic create challenges for pedestrians crossing at unsignalized locations.

RRFBs can make crosswalks and/or pedestrians more visible at a marked crosswalk.

RRFBs can reduce pedestrian crashes by **47%**



## FEATURES:

- Enhanced warning improves motorist yielding

## OFTEN USED WITH:

- Crosswalk visibility enhancements
- Pedestrian refuge island
- Advance STOP or YIELD markings and signs

# Rectangular Rapid-Flashing Beacon (RRFB)

EDC-4 STEP: [https://www.fhwa.dot.gov/innovation/everydaycounts/edc\\_4/step.cfm](https://www.fhwa.dot.gov/innovation/everydaycounts/edc_4/step.cfm)



## CONSIDERATIONS

FHWA has issued interim approval for the use of the RRFB (IA-21). State and local agencies must request and receive permission to use this interim approval before they can use the RRFB. IA-21 does not provide guidance or criteria based on number of lanes, speed, or traffic volumes.

RRFBs are placed on both ends of a crosswalk. If the crosswalk contains a pedestrian refuge island or other type of median, an RRFB should be placed to the right of the crosswalk and on the median (instead of the left side of the crosswalk).

RRFBs typically draw power from standalone solar panel units, but may also be wired to a traditional power source. IA-21 provides conditions for the use of accessible pedestrian features with the RRFB assembly. When RRFBs are not in common use in a community, consider conducting an outreach effort to educate the public and law enforcement officers on their purpose and use.

## COST

The cost associated with RRFB installation ranges from \$4,500 to \$52,000 each, with the average cost estimated at \$22,250. These costs include the complete system installation with labor and materials.

## References

MUTCD section 2B.12 In-Street and Overhead Pedestrian Crossing Signs (R1-6, R1-6a, R1-9, and R1-9a).

Fitzpatrick, K., M. Brewer, R. Avelar, and T. Lindheimer. "Will You Stop for Me? Roadway Design and Traffic Control Device Influences on Drivers Yielding to Pedestrians in a Crosswalk with a Rectangular Rapid-Flashing Beacon." Report No. TTI-CTS-0010. Texas A&M Transportation Institute, College Station, Texas. June 2016. <https://static.tti.tamu.edu/tti.tamu.edu/documents/TTI-CTS-0010.pdf>

Federal Highway Administration. (2018). MUTCD – Interim Approval for Optional Use of Pedestrian-Actuated Rectangular Rapid-Flashing Beacons at Uncontrolled Marked Crosswalks (IA-21). U.S. Department of Transportation, Washington, DC.

Federal Highway Administration. (2013). "Rectangular Rapid Flash Beacon" in PEDSAFE: Pedestrian Safety Guide and Countermeasure Selection System. Available: [http://www.pedbikesafe.org/PEDSAFE/countermeasures\\_detail.cfm?CM\\_NUM=54](http://www.pedbikesafe.org/PEDSAFE/countermeasures_detail.cfm?CM_NUM=54)

Bushell, M., Poole, B., Zegeer, C., & Rodriguez, D. (2013). Costs for Pedestrian and Bicyclist Infrastructure Improvements: A Resource for Researchers, Engineers, Planners, and the General Public. Pedestrian and Bicycle Information Center.