



U.S. Department  
of Transportation  
**Federal Highway  
Administration**

# Memorandum

Subject: VA ST KGMN WLKR JBMHH  
Air Quality Memo to File  
Improvements at:  
Kingman Gate at Ft Belvoir  
Walker Gate at Ft Belvoir  
Joint Base Myer-Henderson Hall

Date: 4/21/2020

From: Chris Hansen  
Environmental Protection Specialist  
Eastern Federal Lands Highway Division

To: File

This memo certifies Clean Air Act conformity requirements have been met for the subject projects.

Walker Gate at Fort Belvoir meets the exempt project definition provided in 40 CFR 93.126 under "Projects that correct, improve, or eliminate a hazardous location or feature". Walker Gate currently experiences dangerous traffic back-ups due to insufficient cueing capacity at the intersection. The proposed improvement will extend cueing capacity to address this safety hazard. Walker gate is therefore exempt from the requirement to determine conformity at the project-level.

Kingman Gate and JBMHH are non-exempt for project-level conformity. However, they are listed in Metropolitan Washington Council of Governments' approved FY 2021-2024 Transportation Improvement Program (TIP). They conform to the TIP, which in turn conforms to the State Implementation Plan.

Fairfax County, Virginia is non-attainment/maintenance for Ozone. Fairfax County is in attainment for all other NAAQS, except for PM2.5 annual 1997 standard (which has been revoked). Therefore hotspot analysis is not being considered.